# ORWAK MULTI 5070

**MULTI** 

THIS MULTI-CHAMBER BALER provides sorting and compaction of different types of materials in one machine!
Top loading is simple and convenient and you can order additional chambers when needed.



# 50 KG

BALE WEIGHT

## Multi-chamber



### **Orwak benefits**

#### MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time for your core activities!

#### **MORE SPACE & ORDER**

Our balers rapidly minimizes the space the waste takes up,keeping aisles free and tidy.

#### LESS COSTS, MORE VALUE

More compaction = less waste volume to transport. Fewer transports required results in lower transportation costs and reduced  $CO_2$  emissions. Sorting at source yields a higher quality of waste material for recycling.





## Why Orwak Multi?

- Sorting and compaction of several waste types at source
- + Top-loading of the material in open chambers
- → Total freedom to increase capacity by adding additional chambers



## ORWAK MULTI 5070

### As easy to maintain as to operate

The 5070 is a multi-chamber solution. It forms a mini recycling point for sorting of different types of material.

#### **ORWAK MULTI 5070 IS OPTIMIZED FOR:**

#### **PAPER**

- + Paper sacks + Shrink film
- + Cardboard
- . 5111111111111

**PLASTIC FOIL** 

+ Shredded paper

#### + Plastic bags

#### OTHER METALS

#### **OTHER PLASTICS**

+ Steel straps

+ Plastic straps



#### TAKES LITTLE SPACE

The compact design and small footprint provide efficient compaction in a small space.

#### **EXTENDABLE SYSTEM**

Add an additional chamber to extend your sorting and compaction station!

#### **EFFECTIVE COMPACTION**

The long piston stroke produces highly compacted bales!


#### **BALE TROLLEY**

The 5070 is always delivered with a bale trolley for easy baling and internal transportation of the bale.

### **DIMENSIONS & SPECIFICATIONS**

A B C D E
2160 mm 1740 mm 735 (880*) mm 1430 mm 1205 mm

 $* Including \, strap \, holders \,$ 



Machine weight total: 522 kg chamber only: 365 kg press unit only: 157 kg



TECHNICAL SPECIFICATIONS									
LOADING APERTURE	CYCLETIME	PRESS FORCE	BALESIZE		BALEWEIGHT	NOISELEVEL	PROTECTION CLASS	OPERATING POWER	
Width: 700 mm Height: 500 mm	36 secs	3 ton, 30 kN	Depth:	700 mm 500 mm 700 mm	Cardboard: Up to 50 kg Plastic: Up to 80 kg	< 70 db (A)	IP 55	Single Phase 230 V, 50 Hz, 10 A	

We reserve the right to make changes to specifications without prior notice. Bale/bag/bin weights are dependent upon material type.

